



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Loney's Alpaca Junction/Gina & William Loney  
3109 N 7 Mile Rd  
Lake City MI 49651-9102 USA

**Date:** 08/28/18  
**Shear ID:** 178668  
**Test No:** 968310


### Animal and Sample Description

**Animal Name:** LAJS' Maximos Reba  
**ARI #:** 35182207  
**Breed:** Alpaca(Huacaya)  
**Sex:** Female  
**Color:** Med Brown

**Date of Birth (Age):** 08/19/17  
**Sample Location:** Side  
**Sample Date:** 05/09/18  
**Previous Shear Date:** XX/XX/XX  
**Total Fleece Wt (lbs):** 4.09

### Laboratory Data

<b>Mean Fiber Diameter:</b>	19.5 microns	<b>Mean Staple Length:</b>	99.8 mm
<b>Standard Deviation:</b>	4.0 microns	<b>Length Standard Deviation:</b>	3.7 mm
<b>Coefficient of Variation:</b>	20.7 %	<b>Length Coefficient of Variation:</b>	3.7 %
<b>Spin Fineness:</b>	18.9 microns	<b>Mean Curvature:</b>	32.2 deg/mm
<b>Fibers Greater Than 30 microns:</b>	1.1 %	<b>SD Curvature:</b>	19.4 deg/mm
<b>Comfort Factor:</b>	98.9 %		



This Test Performed According to I.W.T.O Method 47